

COMMERCIAL VANS

MADE IN THE USA


OWENS



PRODUCTS



Order Toll Free: 800-726-9367
Fax Toll Free: 800-942-9877
E-Mail Orders: sales@owensproducts.com

 Proudly Made in the USA!

Volume 1
Commercial Vans
2019

MADE IN THE USA



Our History



OUR PROMISE TO YOU

MADE IN THE USA

Designed & Manufactured in Sturgis, Michigan

At Owens Products, we produce many custom vacuum-formed plastic, fiberglass and aluminum products for a variety of companies. Owens Products has been a family-owned and operated company for more than 50 years. We strive to provide our customers with the highest quality products and superior customer service. We invite you to take a few moments to explore our world-class truck running boards, dog boxes, tool boxes, and more. Just one look and you will see why Owens Products is a world leader in aftermarket automotive manufacturing... and the best thing is, all products that Owens Products manufactures is Proudly Made in the USA!

History of Owens Products, Inc.

Owens Classic was established in 1965 with the invention of the Classic fifth wheel hitch and the Owens fifth wheel recreational trailer. The business evolved into manufacturing a variety of commercial trailers using the same fifth wheel concept. In 1977, Owens designed the first aluminum running board on the market, which allowed the fifth wheel customer the ease of unlocking the fifth wheel hitch located in the truck bed.

In 1989, Owens sold the fifth wheel hitch and a few years later also sold its trailer manufacturing plant, enabling the company to concentrate on its core business of automotive accessories. Owens is a dominant force in the automotive aftermarket with product lines of plastic, fiberglass and aluminum running boards, aluminum tool boxes, dog boxes, garage and trailer accessories as well as custom made products.

During November 2007, Gary Kirtley, II purchased Owens Products and several internal changes were made. The company is now a strong and profitable company continuing to be family owned and operated for more than 50 years.

We are pleased to offer this catalog as reference to our entire product line and we thank all of our customers for their continued loyalty.

Gary L. Kirtley, II
Owner, CEO



© 2019 Owens Products, Inc.

About Us

MADE IN THE USA



Our Organization

Owens products are manufactured and shipped from our Sturgis, Michigan location. Our sales team serves all areas of the United States and Canada.

Main Office and Manufacturing Facility:

Owens Products, Inc.
1107 Progress St.
Sturgis, MI 49091
www.owensproducts.com

Our Products

Our products range in diversity from a full line of running boards to tool boxes, dog boxes, mud flaps and garage and trailer accessories. We continue to add various product lines, while modifying others. Product changes are usually a direct response from customer comments and suggestions. We welcome this input as basic to our philosophy of service.

Contract Manufacturing

At Owens Products, we produce many custom vacuum-formed plastic, fiberglass and aluminum products for a variety of companies. Owens Products has been a family owned and operated company for more than 50 years. We strive to provide our customers with the highest-quality products and superior customer service. We invite you to take a few moments to explore our world-class truck running boards, dog boxes, tool boxes, and more today. Just one look and you will see why Owens Products is a world leader in aftermarket automotive manufacturing.

Capabilities - 132 Ton Press Break, CNC Turret Press, Aluminum Welding (TIG and MIG), Metal Fabrication, Vacuum Forming (Plastics) and Fiberglass.

Quality - We stand behind our products, service and customers.

Contact Us – Find out what we can do for you.

1. Call us at 1-800-726-9367 – and we will direct you to our sales representative in your territory ~or~
2. E-mail us and please be sure to include your State so we can direct your question to your territory representative: sales@owensproducts.com



Quality Policy

Owens Products, Inc. is dedicated to delivering the highest level of quality and customer satisfaction through the never-ending pursuit of excellence in all of our products, services and relationships.

The fundamentals for achieving our commitment to total customer satisfaction are:

- A comprehensive understanding of customer expectations, requirements and compliance to statutory, regulatory and industry requirements
- Demonstrating quality leadership in all our processes, striving always for world class performance
- Continual improvement by analyzing process efficiency through the use of Customer and Internal Key Performance Indicators
- Dedication to quality excellence by all our associates

Placing an Order

Owens has a \$50.00 minimum order requirement. Helpful and knowledgeable Customer Service Representatives are always available to take your order and assist you with any questions. Our 800 Center is open from 8:00 am to 5:00 pm, Eastern Standard Time, Monday thru Friday. Messages left after hours will receive our prompt attention the next business day. You may also e-mail us with any questions. Please be sure to include your State so we can direct your question to your territory representative.

Call: 1-800-726-9367

269-651-2300 (outside USA)

Fax: 1-800-942-9877

269-651-9326 (outside USA)

E-mail: sales@owensproducts.com

1-800-726-9367
www.owensproducts.com



PAGES	SERIES														
	Molded				Aluminum										
	6	7-8	9	9	10	11-13	11-13	14	15-16	17	18				
GlaStep Fiberglass	Owens Factory Boards TPO	Owens Premier Grip ABS	TranSender Rounded TPO	Classic Extra-Wide Universal	ClassicPro Diamond	ClassicPro Extruded	Fusion Oval Steps	Owens Commercial Boards	Grip Strut Commercial	TranSender Extruded					
97-19	Chevrolet/GMC	Express/Savana	135"	Long/Long	X	X			X	X	X	X	X		X
97-19	Chevrolet/GMC	Express/Savana	135"	Short/Long		X			X	X	X	X	X		X
97-19	Chevrolet/GMC	Express/Savana	135"	Short/Short - Cutaway		X		X	X	X		X			X
97-19	Chevrolet/GMC	Express/Savana	155"	Long/Long		X			X	X	X	X	X		X
97-19	Chevrolet/GMC	Express/Savana	155"	Short/Long		X			X	X	X	X	X		X
97-19	Chevrolet/GMC	Express/Savana	155"	Short/Short - Cutaway		X		X	X	X		X			X
97-19	Chevrolet/GMC	Express/Savana	All	Rear Step											X
07-09	Dodge	Sprinter	144"	Long/Long						X	X		X		
07-09	Dodge	Sprinter	144"	Short/Long						X	X		X		
07-09	Dodge	Sprinter	144"	Short/Short - Cutaway					X	X	X		X		
07-09	Dodge	Sprinter	170"	Long/Long							X				
07-09	Dodge	Sprinter	170"	Short/Long							X			X	
07-09	Dodge	Sprinter	170"	Short/Short - Cutaway					X	X	X		X		
92-14	Ford	E-Series Van	138"	Long/Long	X	X			X	X	X	X	X		X
92-14	Ford	E-Series Van	138"	Short/Long		X			X	X	X	X	X		X
92-19	Ford	E-Series Van	138"	Short/Short - Cutaway		X		X	X	X	X	X	X		X
15-19	Ford	Transit 150	130"	Long/Long		X				X	X			X	
15-19	Ford	Transit 150	130"	Short/Long		X				X	X			X	
15-19	Ford	Transit 150	130"	Short/Short		X				X	X				
15-19	Ford	Transit 150	148"	Long/Long - Single Slider		X				X	X		X	X	
15-19	Ford	Transit 150	148"	Long/Long - Dual Sliders		X				X	X				
15-19	Ford	Transit 150	148"	Short/Long		X				X	X	X	X	X	
15-19	Ford	Transit 150	148"	Short/Short		X				X	X				
15-19	Ford	Transit 250	130"	Long/Long		X				X	X			X	
15-19	Ford	Transit 250	130"	Short/Long		X				X	X			X	
15-19	Ford	Transit 250	130"	Short/Short		X				X	X				
15-19	Ford	Transit 250	148"	Long/Long - Single Slider		X				X	X		X	X	
15-19	Ford	Transit 250	148"	Long/Long - Dual Sliders		X				X	X				
15-19	Ford	Transit 250	148"	Short/Long		X				X	X	X	X	X	
15-19	Ford	Transit 250	148"	Short/Short		X				X	X				

Reference Guide

MADE IN THE USA



PAGES

OC74114EB-01 - Owens ClassicPro Extruded (Black)

					SERIES										
					Molded				Aluminum						
YEARS	MAKE	MODEL	WHEEL BASE	TYPE	6	7-8	9	9	10	11-13	11-13	14	15-16	17	18
					GlaStep Fiberglass	Owens Factory Boards TPO	Owens Premier Grip ABS	TranSender Rounded TPO	Classic Extra-Wide Universal	ClassicPro Diamond	ClassicPro Extruded	Fusion Oval Steps	Owens Commercial Boards	Grip Strut Commercial	TranSender Extruded
15-19	Ford	Transit 350	148"	Long/Long - Single Slider	X					X	X		X	X	
15-19	Ford	Transit 350	148"	Long/Long - Dual Sliders	X					X	X		X		
15-19	Ford	Transit 350	148"	Short/Long	X					X	X	X		X	
15-19	Ford	Transit 350	148"	Short/Short	X					X	X				
15-19	Ford	Transit (All)	All	Rear Step										X	
11-13	Ford	Transit Connect		Long/Long		X		X							
10-19	Freightliner	Sprinter	144"	Long/Long						X	X		X		
10-19	Freightliner	Sprinter	144"	Short/Long		X				X	X		X		
10-19	Freightliner	Sprinter	144"	Short/Short - Cutaway					X	X	X		X		
10-19	Freightliner	Sprinter	170"	Long/Long							X				
10-19	Freightliner	Sprinter	170"	Short/Long		X					X			X	
10-19	Freightliner	Sprinter	170"	Short/Short - Cutaway					X	X	X		X		
10-19	Mercedes-Benz	Sprinter	144"	Long/Long						X	X		X		
10-19	Mercedes-Benz	Sprinter	144"	Short/Long		X				X	X		X		
10-19	Mercedes-Benz	Sprinter	144"	Short/Short - Cutaway					X	X	X		X		
10-19	Mercedes-Benz	Sprinter	170"	Long/Long							X				
10-19	Mercedes-Benz	Sprinter	170"	Short/Long		X					X			X	
10-19	Mercedes-Benz	Sprinter	170"	Short/Short - Cutaway					X	X	X		X		
12-19	Nissan	NV		Long/Long - Full Size Van	X					X	X				
12-19	Nissan	NV		Short/Long - Full size Van		X				X	X				
12-19	Nissan	NV		Rear Step - Full size Van									X	X	
13-19	Nissan	NV200		Long/Long - Compact Van			X								
14-19	RAM	ProMaster	118"	Long/Long							X				
14-19	RAM	ProMaster	118"	Short/Long							X				
14-19	RAM	ProMaster	136"	Long/Long						X	X				
14-19	RAM	ProMaster	136"	Short/Long		X				X	X				
14-19	RAM	ProMaster	159"	Long/Long							X				
14-19	RAM	ProMaster	159"	Short/Long		X					X			X	
14-19	RAM	ProMaster	All	Rear Step										X	

MADE IN THE USA

OWENS
PRODUCTS

Commercial Vans

Owens Running Boards Van Applications

- GlaStep™ Molded Fiberglass Boards
- Owens Factory Boards™ Molded TPO Boards
- TranSender™ Rounded Style Molded TPO & Extruded Aluminum
- Classic™ Extra-Wide Diamond Tread Aluminum Boards
- ClassicPro™ Aluminum Boards
- Fusion™ Oval Steps
- Grip Strut Commercial Boards
- Owens Commercial Boards™

Owens products has many styles of running boards for commercial vans. From full length steps, short/long steps, cutaway chassis steps, wide steps and rear steps, we have what you need for your passenger vans, fleet, construction and municipal jobs. We have molded TPO and fiberglass as well as many aluminum steps including our Owens Commercial Boards that are built tough for heavy use and perform day after day on the job. Most running boards feature custom brackets designed for each application giving the boards superior strength as well as fast and easy installation.



Sprinter Vans

68010 - Molded TPO Wide Step



Express / Savana Vans

6840120-01 - Molded TPO



Ford E-Series Vans

2190 - Fiberglass



Nissan NV Vans

OCN70107X1 - Aluminum



Transit Vans

82362-01 - Grip Strut



ProMaster Vans REETLIVING.com

82342 - Rear Steps

Owens Products, Inc.
1107 Progress St.
Sturgis, MI 49091

Phone: 800-726-9367
Fax: 800-942-9877

www.owensproducts.com
sales@owensproducts.com
Proudly Made in the USA!!!

Commercial Vans

RUNNING BOARDS




GlaStep™ Custom Molded Fiberglass

- Sculpted to complement the unique contour of your vehicle
- Gray primer gelcoat finish
- Can be painted to match your vehicle
- Deluxe extra-wide non-slip step tread
- Steel-reinforced mounting plates
- Vehicle specific easy to install bracket kit



YEARS	TYPE	DESCRIPTION	LENGTH	PART NUMBER	REQUIRED BRACKET KIT
CHEVROLET/GMC					
97-19	Long/Long	Express/Savana 135" Wheel Base	100"	2153	Included
FORD					
92-14	Long/Long	E-Series Van 138" Wheel Base	102"	2190	Included
NISSAN					
12-19	Long/Long	NV Full Size Van	107"	3199-01	10-1208




Owens Factory Boards™ Custom Molded TPO

- Manufactured from Thermoplastic Polyolefin
- Durable for extreme temperature and weather conditions
- UV protected and does not require painting
- Built in grip so step tread is not needed
- Steel-reinforced mounting plates
- Vehicle specific easy to install bracket kit



YEARS	TYPE	DESCRIPTION	LENGTH	PART NUMBER	REQUIRED BRACKET KIT
CHEVROLET/GMC					
Express/Savana - 135" Wheel Base					
97-19	Long/Long	Express/Savana 135" WB	100"	68100-01	10-1125
97-19	Short/Long	Express/Savana 135" WB	40"/100"	6840100-01	10-1126
97-19	Short/Short	Express/Savana Cutaway Chassis 135" or 155" WB	40"	6840-01	10-1099
Express/Savana - 155" Wheel Base					
97-19	Long/Long	Express/Savana 155" WB	120"	68120-01	10-1119
97-19	Short/Long	Express/Savana 155" WB	40"/120"	6840120-01	10-1120
97-19	Short/Short	Express/Savana Cutaway Chassis 135" or 155" WB	40"	6840-01	10-1099
FORD					
E-Series Van - 138" Wheel Base					
92-14	Long/Long	E-Series Van 138" WB	100"	68100-01	10-1129
92-14	Short/Long	E-Series Van 138" WB	40"/100"	6840100-01	10-1130
92-19	Short/Short	E-Series Cutaway Van 138" WB	40"	6840-01	10-1101
Transit Connect					
10-13	Long/Long	Transit Connect	80"	6880-01	10-1103
Transit 150/250 - 130" Wheel Base					
15-19	Long/Long	Transit 150/250 130" WB	94"	6894-01	10-1365
15-19	Short/Long	Transit 150/250 130" WB	34"/94"	683494-01	10-1366
15-19	Short/Long	Transit 150/250 130" WB Wide Step	34"/94"	68016	Included
15-19	Short/Short	Transit 150/250 130" WB	34"	6834-01	10-1367



 - Ships LTL truck freight

6834114W-01
WIDE STEP

Commercial Vans

RUNNING BOARDS

Owens Factory Boards™ Custom Molded TPO

- Manufactured from Thermoplastic Polyolefin
- Durable for extreme temperature and weather conditions
- UV protected and does not require painting
- Built in grip so step tread is not needed
- Steel-reinforced mounting plates
- Vehicle specific easy to install bracket kit



YEARS	TYPE	DESCRIPTION	LENGTH	PART NUMBER	REQUIRED BRACKET KIT
FORD					
Transit 150/250 - 148" Wheel Base					
15-19	Long/Long	Transit 150/250 148" WB Single Slider Door	114"	68114-01	10-1230
15-19	Long/Long	Transit 150/250 148" WB Dual Slider Door	114"	68114-01	10-1351
15-19	Short/Long	Transit 150/250 148" WB	34"/114"	6834114-01	10-1359
15-19	Short/Long	Transit 150/250 148" WB Wide Step	34"/114"	6834114W-01	10-1354
15-19	Short/Short	Transit 150/250 148" WB	34"	6834-01	10-1367
Transit 350 - 148" Wheel Base - SRW = Single Rear Wheel DRW = Dual Rear Wheel (Dually)					
15-19	Long/Long	Transit 350 148" WB SRW Single Slider Door	114"	68114-01	10-1283
15-19	Long/Long	Transit 350 148" WB SRW Dual Slider Door	114"	68114-01	10-1351
15-19	Long/Long	Transit 350 148" WB DRW Single Slider Door	114"	68114-01	10-1285
15-19	Short/Long	Transit 350 148" WB SRW/DRW	34"/114"	6834114-01	10-1359
15-19	Short/Long	Transit 350 148" WB SRW/DRW Wide Step	34"/114"	6834114W-01	10-1354
15-19	Short/Short	Transit 350 148" WB SRW/DRW	34"	6834-01	10-1367
FREIGHTLINER/MERCEDES-BENZ					
Sprinter - *DOES NOT WORK WITH FACTORY REAR A/C*					
10-19	Short/Long	Sprinter 144" WB Wide Step	34"/103"	68010	Included
10-19	Short/Long	Sprinter 170" WB Wide Step	34"/124"	6834124W-01	10-1295
NISSAN					
12-19	Short/Long	NV Full Size Van Wide Step	40"/97"	684097W-01	10-1322
RAM - *DOES NOT WORK WITH FACTORY REAR A/C*					
14-19	Short/Long	ProMaster 136" WB Wide Step	34"/102"	6834102W-01	10-1298
14-19	Short/Long	ProMaster 159" WB Wide Step	34"/123"	6834123W-01	10-1377



-01
Part Numbers ending with
"-01" means a bracket kit
must be ordered separately.

- Ships LTL truck freight

Owens Premier Grip™ Custom Molded ABS

- Manufactured from Acrylonitrile Butadiene Styrene (ABS) Thermoplastic Polymer
- UV protected
- Can be painted to match your vehicle
- 4" x 20" TPO SureGrip™ Step Pads
- Full-length galvanized steel reinforcement
- Vehicle specific easy to install bracket kit



YEARS	TYPE	DESCRIPTION	LENGTH	PART NUMBER	REQUIRED BRACKET KIT
NISSAN					
13-19	Long/Long	NV200 Compact Cargo Van	--	67589-01	10-1210

TranSender™ Rounded Style Molded TPO

- Manufactured from Thermoplastic Polyolefin
- Available in several lengths: 40", 54", 60", 64", 69", 75", 80", 86", 90"
- Durable for extreme temperature and weather conditions
- UV protected and does not require painting
- 4" x 20" TPO SureGrip™ Step Pads
- Full-length galvanized steel reinforcement
- Custom fit or universal brackets are sold separately



YEARS	TYPE	DESCRIPTION	LENGTH	PART NUMBER	REQUIRED BRACKET KIT
CHEVROLET/GMC					
97-19	Short/Short	Express/Savana Cutaway Chassis 135" or 155" WB	40"	6540-01	10-1099
FORD					
92-19	Short/Short	E-Series Cutaway Van 138" WB	40"	6540-01	10-1101
10-13	Long/Long	Transit Connect	80"	6580-01	10-1103



-01
Part Numbers ending with
"-01" means a bracket kit
must be ordered separately.

Commercial Vans

RUNNING BOARDS

Classic™ Extra-Wide Diamond Tread Aluminum with Universal Frame Mount Brackets

- Manufactured from .063 diamond tread aluminum or .100 commercial grade diamond tread aluminum
- Bright polished finish
- Available in 8" or 10" wide stepping area
- Available in 2" or 4" drop
- Natural diamond tread traction
- Stone guards for added protection




YEARS	TYPE	DESCRIPTION	LENGTH	.063 Diamond		.100 Diamond	
				2" Drop	4" Drop	2" Drop	4" Drop
CHEVROLET/GMC							
8" Wide Step				8" Wide Step		8" Wide Step	
97-19	Long/Long	Express/Savana 135" WB 3 sets BK92*	100"	OC80100-8	OC84100-8	--	--
97-19	Short/Short	Express/Savana Cutaway Chassis 2 sets BK92*	40"	--	OC8440C-8	--	--
97-19	Long/Long	Express/Savana 155" WB 3 sets BK92*	120"	OC80120-8	OC84120-8	--	--
97-19	Short/Short	Express/Savana Cutaway Chassis 2 sets BK92*	40"	--	OC8440C-8	--	--
10" Wide Step				10" Wide Step		10" Wide Step	
97-19	Long/Long	Express/Savana 135" WB 3 sets BK92*	100"	OC80100-10	OC84100-10	--	--
97-19	Short/Long	Express/Savana 135" WB 3 sets BK92* Front stone guard support kit	40"/100"	--	--	--	OC82404LA-10 BK216
97-19	Short/Short	Express/Savana Cutaway Chassis 2 set BK92* 13133 - 1 set BK92* and 4 stone guards	40"	OC8040C-10	OC8440C-10	--	13133*
97-19	Long/Long	Express/Savana 155" WB 3 sets BK92* Front stone guard support kit	120"	OC80120-10	OC84120-10	--	OC84120-10-100 BK216
97-19	Short/Long	Express/Savana 155" WB 4 sets BK92* Front stone guard support kit	40"/120"	--	--	--	OC8240120-10 BK216
97-19	Short/Short	Express/Savana Cutaway Chassis 2 set BK92* 13133 - 1 set BK92* and 4 stone guards	40"	OC8040C-10	OC8440C-10	--	13133*
FORD							
8" Wide Step				8" Wide Step		8" Wide Step	
92-14	Long/Long	E-Series Van 138" WB 2" = 2 sets BK92* 4" = 3 sets BK92*	102"	OC80102-8	OC84102-8	OC80102-8-100*	OC84102LA-8
92-14	Short/Long	E-Series Van 138" WB 3 sets BK92*	40"/102"	OC82404-8	--	--	--
92-19	Short/Short	E-Series Cutaway Van 138" WB 2 sets BK92*	40"	--	OC8440C-8	--	--
10" Wide Step				10" Wide Step		10" Wide Step	
92-14	Long/Long	E-Series Van 138" WB 2" = 2 sets BK92* 4" = 3 sets BK92*	102"	OC80102-10	OC84102-10	OC80102-10-100*	OC84102LA-10
92-19	Short/Short	E-Series Cutaway Van 138" WB 2 sets BK92* 13133 - 1 set BK92* and 4 stone guards	40"	OC8040C-10	OC8440C-10	--	13133*
DODGE/FREIGHTLINER/MERCEDES-BENZ							
10" Wide Step				10" Wide Step		10" Wide Step	
07-19	Short/Short	Sprinter Cutaway Chassis 144" or 170" WB 2 sets BK92*	34"	--	--	--	OC8434-10-100

***Bracket Kit BK92** - 1 kit contains hardware for 2 brackets, 1 bracket per side. For additional brackets order PN BK92.


***13133** - You may want extra brackets and end caps. For end caps order PN C8000EC-10

***OC80102-8-100 & OC80102-10-100** - come with 3 sets of BK92.

 - Ships LTL truck freight

ClassicPro™ Aluminum Running Boards

- Manufactured from bright polished .063 diamond tread aluminum or
- Manufactured from bright or black anodized extruded aluminum
- 6.5" wide stepping area
- Available in 2" or 4" drop
- Natural diamond tread traction or
- Extruded with rough grit tape traction
- Stone guards for added protection
- Vehicle specific easy to install bracket kit



YEARS	TYPE	DESCRIPTION	LENGTH	2" DROP			4" DROP		
				EXTRUDED BRIGHT	EXTRUDED BLACK	DIAMOND BRIGHT	EXTRUDED BRIGHT	EXTRUDED BLACK	DIAMOND BRIGHT
CHEVROLET/GMC									
Express/Savana - 135" Wheel Base									
97-19	Long/Long		100"	OC70100FX	OC70100FXB	OC80100FX	OC74100FX	OC74100FXB	OC84100FX
97-19	Short/Long		40"/100"	--	--	--	OC72405	OC72405B	OC82405
97-19	Short/Short	Cutaway Chassis	40"	OC7040CX1	OC7040CX1B	OC8040CX1	OC7440CX1	OC7440CX1B	OC8440CX1
Express/Savana - 155" Wheel Base									
97-19	Long/Long		120"	OC70120FX	OC70120FXB	OC80120FX	OC74120FX	OC74120FXB	OC84120FX
97-19	Short/Long		40"/120"	--	--	--	OC72406	OC72406B	OC82406
97-19	Short/Short	Cutaway Chassis	40"	OC7040CX1	OC7040CX1B	OC8040CX1	OC7440CX1	OC7440CX1B	OC8440CX1
DODGE/FREIGHTLINER/MERCEDES-BENZ									
Sprinter - 144" Wheel Base									
07-19	Long/Long	Running Boards Bracket Kit	105.5"	--	--	--	OC74105EX-01 10-1269	OC74105EXB-01 10-1269	OC84105EX-01 10-1269
07-19	Short/Long	Running Boards Bracket Kit	34"/105.5"	--	--	--	OC72401-01 10-1270	OC72401B-01 10-1270	OC82401-01 10-1270
07-19	Short/Short	Running Boards Bracket Kit	34"	--	--	--	OC7434X-01 10-1273	OC7434XB-01 10-1273	OC8434X-01 10-1273
Sprinter - 170" Wheel Base									
07-19	Long/Long	Running Boards Bracket Kit	131.5"	--	--	--	OC74131EX-01 10-1271	OC74131EXB-01 10-1271	--
07-19	Short/Long	Running Boards Bracket Kit	34"/131.5"	--	--	--	OC72403-01 10-1272	OC72403B-01 10-1272	--
07-19	Short/Short	Cutaway Chassis Boards Bracket Kit	34"	--	--	--	OC7434X-01 10-1273	OC7434XB-01 10-1273	OC8434X-01 10-1273
FORD									
E-Series Van - 138" Wheel Base									
92-14	Long/Long		102"	OC70102X	OC70102XB	OC80102X	OC74102X	OC74102XB	OC84102X
92-14	Short/Long		40"/102"	--	--	--	OC72404	OC72404B	OC82404
92-19	Short/Short	Cutaway Chassis	40"	OC7040CX	OC7040CXB	OC8040CX	OC7440CX	OC7440CXB	OC8440CX



OC70100FX


- Ships LTL truck freight

Commercial Vans

RUNNING BOARDS

ClassicPro™ Aluminum Running Boards

- Manufactured from bright polished .063 diamond tread aluminum or
- Manufactured from bright or black anodized extruded aluminum
- 6.5" wide stepping area
- Available in 2" or 4" drop
- Natural diamond tread traction or
- Extruded with rough grit tape traction
- Stone guards for added protection
- Vehicle specific easy to install bracket kit



YEARS	TYPE	DESCRIPTION	LENGTH	2" DROP			4" DROP		
				EXTRUDED BRIGHT	EXTRUDED BLACK	DIAMOND BRIGHT	EXTRUDED BRIGHT	EXTRUDED BLACK	DIAMOND BRIGHT
FORD									
Transit 150 - 130" Wheel Base *DOES NOT WORK WITH CUTAWAY AND CHASSIS CAB 138, 155.7 OR 178 INCH WHEEL BASES*									
15-19	Long/Long		84"	--	--	--	74007	75007	84007
15-19	Short/Long		32"/84"	--	--	--	72001	73001	81001
15-19	Short/Short	Running Boards Bracket Kit	32"	--	--	--	OC7432X-01 10-1367	OC7432XB-01 10-1367	OC8432X-01 10-1367
Transit 150/250 - 148" Wheel Base *DOES NOT WORK WITH CUTAWAY AND CHASSIS CAB 138, 155.7 OR 178 INCH WHEEL BASES*									
15-19	Long/Long	Running Boards Bracket Kit - Single Slider Bracket Kit - Dual Slider	114.5"	OC70114E-01 10-1308 --	OC70114EB-01 10-1308 --	--	OC74114E-01 10-1230 10-1351	OC74114EB-01 10-1230 10-1351	OC84114E-01 10-1230 10-1351
15-19	Short/Long	Running Boards Bracket Kit	32"/114.5"	OC72411-01 10-1268	OC72411B-01 10-1268	--	OC72408-01 10-1359	OC72408B-01 10-1359	OC82408-01 10-1359
15-19	Short/Short	Running Boards Bracket Kit	32"	--	--	--	OC7432X-01 10-1367	OC7432XB-01 10-1367	OC8432X-01 10-1367
Transit 350 - 148" Wheel Base *DOES NOT WORK WITH CUTAWAY AND CHASSIS CAB 138, 155.7 OR 178 INCH WHEEL BASES*									
SRW = Single Rear Wheel DRW = Dual Rear Wheel (Dually)									
15-19	Long/Long	Running Boards Brckt SRW - Single Slider Brckt SRW - Dual Slider Brckt DRW - Single Slider	114.5"	OC70114E-01 10-1308 -- 10-1308	OC70114EB-01 10-1308 -- 10-1308	--	OC74114E-01 10-1283 10-1351 10-1285	OC74114EB-01 10-1283 10-1351 10-1285	OC84114E-01 10-1283 10-1351 10-1285
15-19	Short/Long	Running Boards Bracket Kit	32"/114.5"	OC72411-01 10-1268	OC72411B-01 10-1268	--	OC72408-01 10-1359	OC72408B-01 10-1359	OC82408-01 10-1359
15-19	Short/Short	Running Boards Bracket Kit	32"	--	--	--	OC7432X-01 10-1367	OC7432XB-01 10-1367	OC8432X-01 10-1367
NISSAN									
NV Full Size Van									
12-19	Long/Long	Without Mud Flaps	107"	OCN70107X	OCN70107XB	OCN80107X	--	--	--
12-19	Short/Long	Without Mud Flaps	50"/107"	OC72407	OC72407B	OC82407	--	--	--



OC74114EB-01


-01



Part Numbers ending with
"-01" means a bracket kit
must be ordered separately.

- Ships LTL truck freight

ClassicPro™ Aluminum Running Boards


- Manufactured from bright polished .063 diamond tread aluminum or
- Manufactured from bright or black anodized extruded aluminum
- 6.5" wide stepping area
- Available in 2" or 4" drop
- Natural diamond tread traction or
- Extruded with rough grit tape traction
- Stone guards for added protection
- Vehicle specific easy to install bracket kit



YEARS	TYPE	DESCRIPTION	LENGTH	2" DROP			4" DROP		
				EXTRUDED BRIGHT	EXTRUDED BLACK	DIAMOND BRIGHT	EXTRUDED BRIGHT	EXTRUDED BLACK	DIAMOND BRIGHT
RAM									
ProMaster - 118" Wheel Base									
14-19	Long/Long	Running Boards Bracket Kit	85.25"	--	--	--	OCR7485A-01 10-1220	OCR7485AB-01 10-1220	--
14-19	Short/Long	Running Boards Bracket Kit	36"/85.25"	--	--	--	OCR72410-01 10-1221	OCR72410B-01 10-1221	--
ProMaster - 136" Wheel Base									
14-19	Long/Long	Running Boards Bracket Kit	102.5"	--	--	--	OCR74102E-01 10-1220	OCR74102EB-01 10-1220	OCR84102E-01 10-1220
14-19	Short/Long	Running Boards Bracket Kit	36"/102.5"	--	--	--	OCR72409-01 10-1221	OCR72409B-01 10-1221	OCR82409-01 10-1221
ProMaster - 159" Wheel Base									
14-19	Long/Long	Running Boards Bracket Kit	 125.75"	--	--	--	OCR74125H-01 10-1216	OCR74125HB-01 10-1216	--
14-19	Short/Long	Running Boards Bracket Kit	 36"/125.75"	--	--	--	OCR72408-01 10-1217	OCR72408B-01 10-1217	--



OCR74125H-01


 - Ships LTL truck freight

Commercial Vans


**RUNNING
BOARDS**

Fusion™ Oval Steps

- Manufactured from .200 rugged extruded aluminum
- Textured powder coat finish
- Full 5.75" stepping surface
- 4" x 20" TPO SureGrip™ Step Pads
- Plastic bracket covers give you factory installed look
- Tested to withstand over 550 lbs.
- Vehicle specific easy to install bracket kit



YEARS	TYPE	DESCRIPTION	LENGTH	BLACK	NICKEL	REQUIRED BRACKET KIT
CHEVROLET/GMC						
Express/Savana - 135" Wheel Base						
97-19	Long/Long	Express/Savana 135" WB 2" Drop	100"	OC5196B-01	OC5196N-01	10-1125
97-19	Short/Long	Express/Savana 135" WB 2" Drop	40"/100"	OC513796B-01	OC513796N-01	10-1126
Express/Savana - 155" Wheel Base						
97-19	Long/Long	Express/Savana 155" WB 2" Drop	120"	OC51117B-01	OC51117N-01	10-1119
97-19	Short/Long	Express/Savana 155" WB 2" Drop	40"/120"	OC5137117B-01	OC5137117N-01	10-1120
FORD						
E-Series Van - 138" Wheel Base						
92-14	Long/Long	E-Series Van 138" WB 2" Drop	100"	OC5196B-01	OC5196N-01	10-1129
92-14	Short/Long	E-Series Van 138" WB 2" Drop	40"/100"	OC513796B-01	OC513796N-01	10-1130
92-19	Short/Short	E-Series Cutaway Van 138" WB 2" Drop	40"	79001	78001	Included
Transit 150/250 - 148" Wheel Base						
15-19	Short/Long	Transit 150/250 148" WB 2" Drop Transit 150/250/350 148" WB 4" Drop	34"/114"	OC5131111B-01	OC5131111N-01	10-1268 10-1359
Transit 350 - 148" Wheel Base - SRW = Single Rear Wheel DRW = Dual Rear Wheel (Dually)						
15-19	Short/Long	Transit 150/250/350 148" WB SRW/DRW 4" Drop	34"/114"	OC5131111B-01	OC5131111N-01	10-1359




OC5196N-01

- Ships LTL truck freight

-01
Part Numbers ending with
"-01" means a bracket kit
must be ordered separately.

Owens Commercial Boards™

- Manufactured from .100 diamond plate aluminum
- 6.5" wide stepping area
- 4" drop (unless otherwise noted)
- Natural diamond tread traction or with added "star burst grip"
- Available with bolt on stone guards and end caps or welded end caps
- Vehicle specific easy to install bracket kit



YEARS	TYPE	DESCRIPTION	LENGTH	DROP	STONE GUARDS and/or END CAPS		WELDED END CAPS	
					DIAMOND TREAD	STAR BURST GRIP	DIAMOND TREAD	STAR BURST GRIP
CHEVROLET/GMC								
Express/Savana - 135" Wheel Base								
97-19	Long/Long		100"	4"	82018	82018G	--	--
97-19	Short/Long		40"/100"	4"	82019	82019G	--	--
97-19	Short/Short	Cutaway Chassis	40"	4"	82015	82015G	--	--
Express/Savana - 155" Wheel Base								
97-19	Long/Long		120"	4"	82017	82017G	--	--
97-19	Short/Long		40"/120"	4"	82016	82016G	--	--
97-19	Short/Short	Cutaway Chassis	40"	4"	82015	82015G	--	--
DODGE/FREIGHTLINER/MERCEDES-BENZ								
Sprinter - 144" Wheel Base								
07-19	Long/Long	Running Boards Bracket Kit	105.5"	4"	--	--	82327-01 10-1269	82327G-01 10-1269
07-19	Short/Long	Running Boards Bracket Kit	34"/105.5"	4"	--	--	82325-01 10-1270	82325G-01 10-1270
07-19	Short/Short	Running Boards	34"	4"	--	--	82339	82339G
Sprinter - 170" Wheel Base								
07-19	Short/Short	Running Boards	34"	4"	--	--	82339	82339G
FORD								
E-Series Van - 138" Wheel Base								
92-14	Long/Long		102"	4"	82013	82013G	--	--
92-14	Short/Long		40"/102"	4"	82014	82014G	--	--
92-19	Short/Short	Cutaway Chassis	40"	4"	82028	82028G	--	--



WELDED
END CAPS

82339

- Ships LTL truck freight






Commercial Vans

RUNNING BOARDS

Owens Commercial Boards™


- Manufactured from .100 diamond plate aluminum
- 6.5" wide stepping area
- 4" drop (unless otherwise noted)
- Natural diamond tread traction or with added "star burst grip"
- Available with bolt on stone guards and end caps or welded end caps
- Vehicle specific easy to install bracket kit



YEARS	TYPE	DESCRIPTION	LENGTH	DROP	STONE GUARDS and/or END CAPS		WELDED END CAPS	
					DIAMOND TREAD	STAR BURST GRIP	DIAMOND TREAD	STAR BURST GRIP
FORD								
Transit 150/250 - 148" Wheel Base *DOES NOT WORK WITH CUTAWAY AND CHASSIS CAB 138, 155.7 OR 178 INCH WHEEL BASES*								
15-19	Long/Long	Running Boards Bracket Kit - Single Slider 	114.5"	2"	OC80114E-01-100 10-1308	--	--	--
15-19	Short/Long	Running Boards Bracket Kit 	32"/114.5"	2"	OC82411-01-100 10-1268	--	--	--
15-19	Long/Long	Running Boards Bracket Kit - Single Slider Bracket Kit - Dual Slider 	114.5"	4"	OC84114E-01-100 10-1230 10-1351	--	--	--
Transit 350 - 148" Wheel Base *DOES NOT WORK WITH CUTAWAY AND CHASSIS CAB 138, 155.7 OR 178 INCH WHEEL BASES* SRW = Single Rear Wheel DRW = Dual Rear Wheel (Dually)								
15-19	Long/Long	Running Boards Brckt SRW/DRW - 1 Slidr 	114.5"	2"	OC80114E-01-100 10-1308	--	--	--
15-19	Long/Long	Running Boards Brckt SRW - Single Slider Brckt SRW - Dual Slider Brckt DRW - Single Slider 	114.5"	4"	OC84114E-01-100 10-1283 10-1351 10-1285	--	--	--
NISSAN								
12-19	Rear Step	NV Full Size Van	48"	4"	--	--	--	82340




82340

 - Ships LTL truck freight

-01
Part Numbers ending with "-01" means a bracket kit must be ordered separately.

Owens Commercial™ Grip Strut Steps

- Manufactured from grip strut aluminum
- Black textured powder coat finish
- 7" wide stepping area provides an aggressive sure-foot grip
- Welded end caps for added strength
- Can withstand up to 600 lbs
- E-coated vehicle specific easy to install bracket kit



YEARS	TYPE	DESCRIPTION	LENGTH	PART NUMBER	REQUIRED BRACKET KIT
CHEVROLET					
Express/Savana Vans					
97-19	Rear Step	Express/Savana Van	65"	82369	Included
FORD					
Transit 150/250 - 130" Wheel Base					
15-19	Long/Long	Transit 2" Drop	90"	82362-01	10-1362
15-19	Short/Long	Transit 2" Drop	34"/90"	82363	Included
15-19	Rear Step	Transit	65"	82343	Included
Transit 150/250/350 - 148" Wheel Base - SRW = Single Rear Wheel DRW = Dual Rear Wheel (Dually)					
15-19	Long/Long	Transit SRW/DRW Single Slider Door 2" Drop	114.5"	82360-01	10-1358
15-19	Short/Long	Transit SRW/DRW 2" Drop	34"/114.5"	82361-01	10-1357
15-19	Rear Step	Transit	65"	82343	Included
DODGE / FREIGHTLINER / MERCEDES-BENZ					
07-19	Short/Long	Sprinter Van 170" WB 2" Drop	34"/124"	823661379	Included
NISSAN					
12-19	Rear Step	NV Full Size Van	48"	82341	Included
RAM					
ProMaster Full Size Van					
14-19	Short/Long	ProMaster - 159" WB 2" Drop	34"/123"	823671380	Included
14-19	Rear Step	ProMaster - 118", 136" & 159" WB	65"	82342	Included



 - Ships LTL truck freight

Commercial Vans

RUNNING BOARDS

TranSender™ Extruded Aluminum

- Manufactured from extruded aluminum
- Available in several lengths: 40", 54", 60", 64", 69", 75", 80", 86", 90", 100", 120"
- Black TPO end caps
- 6.5" wide stepping area | 2" drop
- Deluxe extra-wide non-slip rubber step tread
- Durable for extreme temperature and weather
- Custom fit or universal brackets are sold separately



YEARS	TYPE	DESCRIPTION	LENGTH	PART NUMBER	REQUIRED BRACKET KIT
CHEVROLET/GMC					
Express/Savana - 135" Wheel Base					
97-19	Long/Long	Express/Savana 135" WB	100"	76100-01	10-1125
97-19	Short/Long	Express/Savana 135" WB	40"/100"	7640100-01	10-1126
97-19	Short/Short	Express/Savana Cutaway Chassis 135" or 155" WB	40"	7640-01	10-1099
Express/Savana - 155" Wheel Base					
97-19	Long/Long	Express/Savana 155" WB	120"	76120-01	10-1119
97-19	Short/Long	Express/Savana 155" WB	40"/120"	7640120-01	10-1120
97-19	Short/Short	Express/Savana Cutaway Chassis 135" or 155" WB	40"	7640-01	10-1099
FORD					
E-Series Van - 138" Wheel Base					
92-14	Long/Long	E-Series Van 138" WB	100"	76100-01	10-1129
92-14	Short/Long	E-Series Van 138" WB	40"/100"	7640100-01	10-1130
92-19	Short/Short	E-Series Cutaway Van 138" WB	40"	7640-01	10-1101



76100-01

- Ships LTL truck freight

-01
Part Numbers ending with
"-01" means a bracket kit
must be ordered separately.

Precise Paint Program



For the best paint match, we recommend having your boards painted locally. However Owens Products does offer an optional paint to match program for most molded running boards:

- **Fiberglass** - All of our Fiberglass Tube Steps, GlaStep and GlaStep Plus Fiberglass Running Boards must be painted.
- **ABS** - All of our Owens Premier and Owens Premier Grip ABS Running Boards have a smooth surface that can be painted.
- **TPO** - We **DO NOT** recommend painting our Owens Factory Boards, TranSender Factory Style or Rounded Style Boards, and Owens Premier Grip II TPO Running Boards. TPO has a rough surface, that when painted, will give it the look and texture of an orange peel.

VERY IMPORTANT - In order to acquire the closest color match, we require the following information:

- Year, Make & Model of your vehicle
- VIN number
- Paint code
- Paint color



Paint Program Disclaimer:

Owens Products warrants all custom paint to be free of defects in cosmetic appearance upon receipt of goods. We make every effort to match the OEM colors and utilize approved OEM color variations. However, due to weather, sun exposure, other chemical contact to which the vehicle has been subjected to, the vehicles paint may fade or change slightly from its original color. We do not guarantee an EXACT paint match. If an exact color match is absolutely required by the consumer, we recommend that the product be painted locally. Painted products cannot be returned unless it is defective due to materials or workmanship. Vehicles 1-1/2 years old or older, paint most likely will not match. Slight color variation is not considered a material or workmanship defect. **Questions about our paint program? Please call 1-800-726-9367.**

Jeep Hoods:

Venum Jeep Hoods come with a gray primer finish and are unpainted and unfinished. Owens does not offer the paint match program for Jeep Hoods. Customer is responsible for the paint and finished product of the hood.



Sales Policy

MADE IN THE USA



Credit Terms: All sales are credit card unless a signed credit application has been submitted and approved for terms.

Freight Policy: Prepaid freight order amounts vary depending on location. Additional charges such as residential delivery, delivery appointment fees, restricted delivery, guaranteed delivery date, etc. are not covered by Owens Products.

Order Policy: All orders are started within 48 hours of receiving, therefore, add-ons will not be allowed after 48 hours of original order entry. In addition, any order cancelled once production has started is subject to normal restock fees. Special orders CANNOT be cancelled once production has started building parts. Once an order has been produced you have 30 days to make arrangements for shipping or customer pickup. Orders left in the warehouse more than 30 days will be cancelled or charged a storage fee.

Customer Pickup Policy: Requires customer to check product and sign packing slip before leaving factory. Once an order has been produced, you have 30 days to make arrangements for customer pickup. Orders left in the warehouse for more than 30 days will be cancelled and charged a 25% restock fee. If prior arrangements have been made with us to keep the order for longer than 30 days, a storage fee may apply.

Freight Claims and Conditions: Always check the condition and number of cartons against the freight bill and packing slip at time of delivery. **The customer must note damages and shortages on the delivery receipt at the time of acceptance.** Notify Owens Products customer service department immediately upon discovery of any damage or discrepancy or credit may not be issued. When reporting the shortage, please refer to the invoice or sales order number, item description, part number and carton count. Please do not deduct shortages from invoices when making payments; number and carton count. **Please do not deduct shortages from invoices when making payments; Owens Products, Inc. will issue credit accordingly.**

Return Merchandise Policy: All merchandise returned to Owens Products must be initiated within 30 days of original purchase and have an approved Return Merchandise Authorization (RMA) number or it will be refused and returned to sender. Collect returns will be refused and returned to sender. Items to be returned must be received within 30 calendar days from the issue of the RMA#. After 30 calendar days the RMA is void. **All returns must be boxed and shipped as they were originally received including foam and other packing materials, so as not to be damaged in transit. Damage to boxes or product may result in loss of credit for that product. Customer is responsible for return freight, please insure shipment.** Returns due to reasons other than Owens Products error will be charged a 25% restock fee. **Special orders, paint orders or discontinued items are not returnable for credit.** No credit will be issued for any item that has been installed (unless item is deemed by Owens Products to be under warranty). Any RMA turned down for credit must be picked up within 10 days of notification or parts will be disposed of.

Exchange Policy: If you accidentally ordered the wrong item and would like to exchange it, you will only be charged a 10% restock fee for the returned item, plus any additional cost for the new item.

Warranty Statement: Owens warrants all products to be free of defects in material or workmanship for a period of:

- Three Years – Running Boards, Venum Hoods & Tool Boxes
- One Year – Dog Boxes, RaceMates & Mud Flaps

****NOTE: All products must be registered within 17 days of receipt. Warranty cards are available on the Owens website.**** This warranty covers the cost of the defective part and not the cost of removal, installation, painting or other incidental or consequential charges or damages. This warranty is void if any damage to the product is due to misuse, abuse, neglect, accident, improper installation or any other use contrary to the instructions accompanying this product. Warranty will be pro-rated based on the length of time. All warranty returns must be issued a Return Merchandise Authorization Number (RMA#) before they can be returned to Owens. Credit will be issued upon inspection of the product. Any product found to be non-defective will not receive credit and will be offered to be returned to the sender at their expense. Product will be scrapped 10 days after sender notification. Owens paint is not covered by this warranty. Shipping damage is not considered a warranty. Dog Boxes are not warranted to be 100% waterproof.

Price Changes and Specification: Prices are subject to change with 30 calendar days' notice. Mere possession of any Owens price list does not guarantee purchaser the prices or product lines contained therein.

Disclaimer: Due to the large amount of print and text, Owens is not liable for inaccurate or misprinted text that may require correction. Corrections may be made at Owens discretion. This policy supersedes any or all related preceding policies.

Contact Us

Owens Products, Inc.
1107 Progress St.
Sturgis, MI 49091

Call Us

800-726-9367
269-651-2300

Fax Us

800-942-9877
269-651-9326

sales@owensproducts.com
www.owensproducts.com